





As nature's original heat source and the world's first oven, fire still has the power to stir our most primal instincts, bringing people together to relax, engage and share our most intimate moments.

At Scandia, we know how to tame fire and we are experts in designing wood fires and stoves that thrive in Australian conditions. Our world class designs and commitment to quality are inspired by Scandinavian cultural values and the craftsmanship for which they are renowned. These same values resonate throughout our organisation, instilling a passion for designing great quality, affordable wood fires.

In the harsh winters of Scandinavia, fire is essential for survival and this is also true for many Australians who rely on fire as the primary source of heating. In Australia fire is also about socialising, about bringing the outdoors in and allowing us to get back to nature. It keeps the gathering going outside as night falls when the chill in the air would send us back indoors.

At Scandia, we believe in the power of fire to bring people together. We believe in the power of Scandia to bring quality design and Australians together.



PRECISION ENGINEERING

Scandia utilises CNC laser technology and robotics to manufacture products of impeccable quality, engineered to precise specification.

TRADITIONAL RANGE

With origins forged in Australian history, the classical styling and design of our traditional range represents the pinnacle in affordable, high quality wood heating.

- Minimum 10 year firebox warranty
- Crafted Japanese fireproof glass
- Firebrick lined fireboxes
- -"Clearview" glass air wash system
- High temperature stove paint

200 STACKER

This is a modern and practical adaptation of our most popular wood fire, the Warmbrite 200, with the addition of a handy wood storage pedestal designed to keep firewood dry and conveniently located.



Heat up to 200m²



Large wood storage



3 speed electric fan



670w x 560d x 860h

2g/kg Emissions

68% Efficiency





WARMBRITE 140

Perfect for the cottage home, holiday house or man cave, the Warmbrite 140 is an affordable, radiant wood fire. The radiant construction method also means that the top panel of the firebox operates as a highly effective cooktop for soups, stews and pot roasts.



Heat up to 140m²



5mm heavy duty firebox



550w x 500d x 750h

63% Efficiency

1.5g/kg Emissions



WARMBRITE 200

This traditionally styled, medium sized, fan forced convection wood fire is engineered to effectively heat small to medium sized homes. The Warmbrite 200 is also ideal for environments where space is limited.



Heat up to 200m²



Maximised overnight burn times



3 speed electric fan



670w x 560d x 730h

68%

2g/kg Emissions Efficiency





WARMBRITE 300

This traditionally styled, large format convection wood fire is perfect for use in large, open plan homes and commercial environments where ambience is paramount.



Heat up to 300m²



Maximised overnight burn times



3 speed electric fan



770w x 620d x 810h

67% Efficiency 2.3g/kg

HEAT & COOK

Whether it's wood fired pizza on the deck or the primary source of heating, cooking or hot water, this wood fired oven is as diverse as it is functional. Featuring cast iron doors and an extra large cooktop, the Heat & Cook is the perfect addition to any indoor or outdoor living space.



Heat up to 200m²



Large baker's oven



Optional hot water jacket



770w x 620d x 950h



tem no: 317075

SUPREMACY 200

This premium, mid size, slow combustion wood fire is engineered to deliver a unique combination of elegance, refinement, technology, sustainability and industry leading performance.



Heat up to 200m²



8mm heavy duty steel firebox



Soft touch fan control with infrared remote



730w x 580d x 730h



1.1g/kg Emissions



Item no: 31712

CUTTING EDGE DESIGN

The Supremacy range represents the pinnacle in slow combustion wood fires. Built to last a lifetime, these beautifully styled wood fires epitomise the synergies that can be achieved when you combine functionality and quality construction with cutting edge design.

- Supreme Quality: 8mm steel firebox construction
- Supreme Style: Beautifully crafted bay window design
- Supreme Performance: Extended overnight burn times
- Supreme Confidence: 15 year firebox warranty
- Supreme Technology: Soft touch fan controls with infrared remote



SUPREMACY 300

The largest model in our premium range, the Supremacy 300 has presence in any room with its sleek lines and bay window design. This powerful, yet elegant, unit is capable of heating large, open plan homes and commercial spaces.



Heat up to 300m²



8mm heavy duty steel firebox



Soft touch fan control with infrared remote



830w x 670d x 770h

69% Efficiency

0.9g/kg Emissions



Warmbrite 200i-S3 (Item no: 3171223) with optional fascia (Item no: 3171258



Item no: 317122

WHY CHOOSE AN INBUILT WOOD FIRE?

Everyone loves an open fire, but in reality they are inefficient, plagued by excessive fuel consumption and uncontrollable heat levels that send much of the energy produced straight up the chimney as carbon emissions. Scandia's Series 3 range of inbuilt wood fires are an ideal solution for home owners with existing open fires and who are seeking a cleaner, warmer, more sustainable wood fire. They are also ideal for the new home builder/renovator wanting the warmth, ambience and style of an inbuilt wood fire without the need for a masonry fireplace.

WARMBRITE 2001-S3*

The 200i-S3 combines contemporary styling with heritage inspired design to deliver a mid sized, inbuilt fire perfect for zero clearance, mid mount and masonry fireplace installations.

*The Warmbrite inbuilt range is supplied with a mid mount fascia. The floor mount fascia option can be ordered separately at any Bunnings Special Orders desk.



Heat up to 180m²



Zero clearance option



To suit mid or floor mount install



690w x 530d x 560h

61% Efficiency

0.4g/kg

WARMBRITE 300i-S3*

The Warmbrite 300i-S3 combines sleek and elegant design with powerful and efficient heating capability. This stylish convection wood fire will comfortably heat most large homes.

*The Warmbrite inbuilt range is supplied with a mid mount fascia. The floor mount fascia option can be ordered separately at any Bunnings Special Orders desk.



Heat up to 280m²



Zero clearance option



To suit mid or floor mount install



790w x 580d x 600h

61% Efficiency

0.9g/kg Emissions

CONTEMPORARY RANGE

Influenced by a passion for combining indoor and outdoor living and the unmistakable elegance and style of European design, the team at Scandia has created a visionary range of radiant and open wood fires perfect for the most inspired indoor/outdoor living spaces.

- Minimum 10 year firebox warranty
- Tested and approved to AS/NZS 4012/4013 and 2918 safety standards
- Heavy duty steel construction
- Firebox liners to maximise burn efficiency

HELIX

A Scandinavian inspired design with its elegant contours and subtle lines, the Helix is the perfect centrepiece for any contemporary home. This powerful radiant heater delivers the ambience and warmth you can get only from an Australian designed wood fire.



Heat up to 200m²



Practical wood storage



Extended overnight burn times



610w x 440d x 1170h

62%

1.5g/kg Emissions



EDGE 70

Evolving from French provincial origins, the Edge's clean lines and delicate legs convey style and elegance. Expansive glass panels encase a radiant firebox, and the large top is great for cooking winter soups and stews. The Edge is a stylish wood fire designed to deliver an ethereal ambience to any indoor/outdoor living space.



Heat up to 320m²



Optional wood storage pedestal



Panoramic fire views with glass on three sides



670w x 780d x 1020h



Optional Edge Stacker (Item no: 3171267).



tem no: 3171226

AVANTE

Engineered for indoor and outdoor spaces the Avante open fireplace is as adaptable as it is stylish; uninterrupted fire views are beautifully framed by a range of four fascia options, making it the ideal centrepiece for any entertaining area.

Included with every Avante is an adjustable, stainless steel cooking plate which converts this opulent fireplace into a wood fired BBQ in a matter of seconds.



Indoor/outdoor open fire



Zero clearance option



5.5mm stainless steel cooking plate



Removable safety screen included



1290w x 580d x 800h



included statiness steel cooking place

Optional corten fascia (Item no: 3171265



Optional stainless steel fascia (Item no: 3171266



Avante (Item no: 3171225) depicted with supplied black fascia, corten and stainless steel fascias are optiona

ACCESSORIES

Scandia offer a complete range of fire tools, hearth pads, heater guards, spare parts and installation accessories for most brands of wood heaters sold in Australia.

If you can't find what you are looking for instore visit scandiastoves.com.au for a complete range of available items. Items not found instore can be ordered at any Bunnings Special Orders desk.

BLACK MESH DEFAULT 4M FLUE KIT

Designed and tested to suit all Scandia freestanding wood fires, the powder coated, black mesh decorative flue looks great on any of the traditional wood fire range.

- Triple skin flue
- 304 SST active flue
- 304 SST cowl and cone
- Powder coated finish

6" INBUILT 4M FLUE KIT

Designed and tested to suit the Warmbrite 200i and 300i, this flue kit is for use in an existing masonry chimney. Zero clearance flue kits are also available – ask instore or visit the website for details.

- Suits masonry installation
- 304 SST active flue
- 304 SST cowl and cone
- Chimney cover plate

SLEEK BLACK DEFAULT 4M FLUE KIT

Designed and tested to suit all Scandia freestanding wood fires, the powder coated, sleek black decorative flue looks great on any of the contemporary wood fire range.

- Triple skin flue
- 304 SST active flue
- 304 SST cowl and cone
- Powder coated finish

6" EXTENDABLE FLUE BRUSH

Clean your flue safely from ground level up to 5m with the Scandia flexible flue brush kit. Pull through and rooftop cleaning options are also supported.

- Five 1m flexible extensions
- Premium 6" poly brush
- Threaded metal connectors
- Pull through option fitted

ADDITIONAL INSTALLATION ITEMS

Additional parts required to complete your installation are available from Bunnings stores. Items not in stock can be ordered from the Special Orders desk – ask in store or visit the website for details.

- Kits available:
 1m Flue Extensions
 45° Bends
 Roof Flashing
- Flexi Flue and Adapters
- Penetration and Drop Boxes





em no: 3170671

ZERO CLEARANCE KIT

Zero clearance kits are required when installing an inbuilt wood heater into a timber framed stud wall. Zero clearance kits are available for all Scandia inbuilt wood fires. Ask in store or visit the website for details.

Kits available:

- Warmbrite
 Zero Clearance Box
- 6" Zero Clearance Flue Kit
- Avante Zero Clearance Box
- 10" Zero Clearance Flue Kit



Item no: 317123

WOOD FIRED STOVES

The Banquet is an affordable, traditional wood fired stove available with or without hot water – ask in store or visit the website for details.



Banquet Dry: 3171260 Banquet Wet: 317126



SMALL CHILD SAFETY GUARD

This sturdy child safety guard minimises the risk of coming into contact with what can be extremely hot surfaces. Suits most mid size wood fires.

- Heavy duty steel construction
- Dual opening door (685w x 600h)
- Rear stabilising bar
- Size (mm): 1080w x 1055d x 800h

CLASSIC FIRE TOOL SET

Forged from steel, The Classic set of fire tools are durable and robust and would complement any contemporary wood fire.

- 1x Fireside brush
- 1x Fireside shovel
- 1 x Ash scraper
- 1x Fire poker
- 1 x Stand

CERAMIC TILE HEARTH - CORNER INSTALL

This modern, black, ceramic tile hearth pad is made from durable, non-combustible materials, is easy to install and available in two sizes; suitable for all wood heater brands.

- Steel angle frame on all sides
- Available in two sizes (mm):
 - 1250 x 1250 Item no: 3171005
 - 1425 x 1425 Item no: 3171006

SLATE HEARTH - CORNER INSTALL

This traditional, slate hearth pad is made from durable, non-combustible materials, is easy to install and available in two sizes; suitable for all wood heater brands.

- Decorative aluminium edge
- Available in two sizes (mm):
 - 1250 x 1250 Item no: 3180690
 - 1425 x 1425 Item no: 3180691

LARGE CHILD SAFETY GUARD

This sturdy child safety guard will minimise the risk of coming into contact with what can be extremely hot surfaces. Suits most large wood fires.

- Heavy duty steel construction
- Dual opening door (860w x 600h)
- Rear stabilising bar
- Size (mm): 1275w x 1275d x 800h

DELUXE FIRE TOOL SET

Steel construction with ornate timber handles, The Deluxe fire tool set is the perfect accessory for any traditional wood fire.

- 1 x Fireside brush
- 1 x Fireside shovel
- 1 x Ash scraper
- 1 x Fire poker
- 1 x Stand

CERAMIC TILE HEARTH - STRAIGHT WALL

This modern, black, ceramic tile hearth pad is made from durable, non-combustible materials, is easy to install and available in three sizes; suitable for all wood heater brands.

- Steel angle frame on all sides
- Available in three sizes (mm):
 - 1050 x 1050 Item no: 3171001
 - 1050 x 1200 Item no: 3171003
 - 1200 x 1200 Item no: 3171004

SLATE HEARTH - STRAIGHT WALL

This traditional, slate hearth pad is made from durable, non-combustible materials, is easy to install and available in three sizes; suitable for all wood heater brands.

- Decorative aluminium edge
- Available in three sizes (mm):
 - 1050 x 1050 Item no: 3180687
 - 1050 x 1200 Item no: 3180688
 - 1200 x 1200 Item no: 3180689




















TECHNICAL INFORMATION

PROFESSIONAL INSTALLATION

Scandia requires all wood heaters to be fitted by a qualified, licensed installer whose work complies with local council regulations, Australian standards and manufacturer's specifications. Failure to correctly install is extremely dangerous, will void any warranty claims and may compromise any future insurance claims.


For a professional installation we recommend calling 1300 FIDDIT (1300 343 348) or book online at www.fiddit.com.au


| SCANDIA MODEL COMPARISON CHART | | | | | | | | | | |
|--------------------------------|----------------------|----------------|------------------|-----------|------------|---------------|-----------------|-------------------|----------------|--------------------|
| | Firebox thickness | 3 speed fan | Heating capacity | Emissions | Efficiency | Net weight | Gross weight | Packaged width | Packaged depth | Packaged height |
| WARMBRITE 140 | 5mm | No | 140m² | 1.5g/kg | 63% | 85kg | 99kg | 580mm | 580mm | 860m |
| WARMBRITE 200 | 5.5mm | Yes | 200m² | 2.0g/kg | 68% | 144kg | 160kg | 780mm | 650mm | 880mm |
| STACKER 200 | 5.5mm | Yes | 200m² | 2.0g/kg | 68% | 159kg | 179kg | 780mm | 650mm | 1000mm |
| WARMBRITE 300 | 5.5mm | Yes | 300m² | 2.3g/kg | 67% | 183kg | 203kg | 889mm | 710mm | 960mm |
| WARMBRITE 200i-S3 | 5.5mm | Yes | 180m² | 0.4g/kg | 61% | 116kg | 135kg | 780mm | 620mm | 710mm |
| WARMBRITE 300i-S3 | 5.5mm | Yes | 280m² | 0.9g/kg | 61% | 143kg | 166kg | 880mm | 670mm | 750mm |
| HEAT & COOK | 5mm | No | 200m² | N/A | N/A | 229kg | 246kg | 770mm | 710mm | 1070mm |
| SUPREMACY 200 | 8mm | Yes | 200m² | 1.1g/kg | 67% | 186kg | 207kg | 775mm | 645mm | 870mm |
| SUPREMACY 300 | 8mm | Yes | 300m² | 0.9g/kg | 69% | 226kg | 247kg | 880mm | 745mm | 930mm |
| HELIX | 3.5mm | No | 200m² | 1.5g/kg | 62% | 155kg | 178kg | 720mm | 570mm | 1310mm |
| EDGE 70 | 5mm | No | 320m² | 0.5g/kg | 60% | 145kg | 165kg | 710mm | 820mm | 780mm |
| AVANTE | 6mm | No | 150m² | N/A | N/A | 195kg | 215kg | 1030mm | 630mm | 700mm |
| BANQUET | - | No | 90m² | N/A | N/A | 295kg | - | 990mm | 665mm | 720mm |


ALL SCANDIA WOOD FIRES ARE:

- Tested and approved for AS/NZS 4012/4013 and standards for thermal clearance AS/NZS 2918
- Scandia cookers, stoves and open fires are exempt from AS/NZS 4012/4013
- Fully seam robotically welded, which ensures sturdy construction and no unwanted air gaps
- CNC controlled laser cut, which ensures exact sizes resulting in precise construction every time
- Fitted with high quality Japanese fireproof glass. This glass is air washed by the heater during use
- Fitted with heavy duty, steel baffle plates which means long life and fewer replacements

HEATER DIMENSIONS AND INSTALLATION CLEARANCES







FREESTANDING HEATER DIMENSIONS


| UNIT SIZE (mm) | | | | | | | |
|----------------|-----|------|-----|-----|--------|--------|--|
| | Α | В | С | D | FLUE Ø | WEIGHT | |
| WARMBRITE 140 | 550 | 750 | 137 | 500 | 152 | 85 kg | |
| WARMBRITE 200 | 670 | 730 | 197 | 560 | 152 | 144 kg | |
| STACKER 200 | 670 | 860 | 197 | 560 | - | 159 kg | |
| WARMBRITE 300 | 770 | 810 | 206 | 580 | 152 | 183 kg | |
| HEAT & COOK | 770 | 950 | 112 | 640 | 152 | 229 kg | |
| OVEN SIZE (mm) | | | | | | | |
| SUPREMACY 200 | 730 | 730 | 350 | 580 | 152 | 186 kg | |
| SUPREMACY 300 | 830 | 770 | 400 | 670 | 152 | 226 kg | |
| HELIX | 610 | 1170 | 260 | 440 | 152 | 155 kg | |
| EDGE 70 | 700 | 970 | 600 | 595 | 152 | 145 kg | |
| BANQUET | 900 | 1320 | 125 | 620 | 152 | 295 kg | |

| INTERNAL FIREBOX (mm) | | | | | | | | | |
|-----------------------|-------|--------|--|--|--|--|--|--|--|
| WIDTH | DEPTH | HEIGHT | | | | | | | |
| 370 | 330 | - | | | | | | | |
| 445 | 305 | - | | | | | | | |
| 445 | 305 | - | | | | | | | |
| 545 | 365 | - | | | | | | | |
| 428 | 330 | - | | | | | | | |
| 420 | - | 258 | | | | | | | |
| 445 | 365 | - | | | | | | | |
| 545 | 470 | - | | | | | | | |
| 400 | 335 | - | | | | | | | |
| 600 | 420 | - | | | | | | | |
| 280 | 410 | _ | | | | | | | |

FREESTANDING INSTALLATION CLEARANCES

| CLEARANCES (mm) | | | | | | | | | |
|-------------------|------|------|-------|-----|-----|------|------|------|------|
| | E | F | G | Н | 1 | J | K | L | M |
| WARMBRITE 140 | 700 | 496 | 360 | 145 | 350 | 745 | 1180 | 550 | 1520 |
| WARMBRITE 200 | 250 | 346* | 150* | 120 | 450 | 900 | 1110 | 100* | 1255 |
| STACKER 200 | 250 | 346* | 150* | 120 | 450 | 900 | 1110 | 100 | 1255 |
| WARMBRITE 300 | 350 | 381* | 175* | 120 | 450 | 1000 | 1175 | 170* | 1425 |
| HEAT & COOK | 425 | 287 | 175* | 95 | 300 | 820 | 1040 | 200 | 1250 |
| SUPREMACY 200 | 350 | 500 | 150* | 120 | 300 | 950 | 1010 | 75 | 1220 |
| SUPREMACY 300 | 400 | 550 | 150*^ | 120 | 300 | 1040 | 1125 | 75 | 1350 |
| HELIX | 400 | 560 | 300* | 70 | 300 | 770 | 1040 | 260 | 1325 |
| EDGE 70 | 1200 | 850 | 250* | 130 | 300 | 950 | 1150 | 600 | 1720 |
| BANQUET ABOVE HOB | 400 | 155 | 30 | 85 | 300 | 1020 | 980 | N/A | N/A |
| BANQUET BELOW HOB | 35 | 155 | 30 | 85 | 300 | 1020 | 980 | N/A | N/A |

^{*}with decorative flue, with at least 180° heat shield and 900mm 180° flue shield in place. ^with tertiary 550mm 180° heat shield in place (supplied with heater).



INBUILT HEATER DIMENSIONS

| UNIT SIZE (mm) | | | | | | | | | |
|-------------------|-------|-----|------|-----|-----|-----|-----|--------|--------|
| | Α | В | С | D | E | F | G | FLUE Ø | WEIGHT |
| WARMBRITE 200i-S3 | 690 | 170 | 1005 | 718 | 470 | 500 | 560 | 152 | 116 kg |
| WARMBRITE 300i-S3 | 730 | 188 | 1105 | 761 | 520 | 560 | 600 | 152 | 143 kg |
| AVANTE OPEN FIRE | 1000* | 152 | 1294 | 644 | 577 | 515 | 770 | 254 | 195 kg |

 $[\]hbox{\tt *firebox including front support brackets, excluding decorative fascia}$

CLEARANCE TO COMBUSTIBLES (mm) FOR MASONRY FIREPLACE

| CLEARANCES (mm) | | | | | | | | |
|---|------|-----|----|-----|----|----|-----|----|
| | Н | 1 | J | K | L | M | N | 0 |
| WARMBRITE 200i-S3 | 1070 | 900 | 30 | 250 | 40 | 40 | 550 | 30 |
| WARMBRITE 300i-S3 | 1070 | 900 | 30 | 250 | 40 | 40 | 550 | 30 |
| AVANTE OPEN FIRE SEE MANUAL FOR DETAILS | | | | | | | | |

| INTERNAL FIREBOX (mm) | | | | | | | |
|-----------------------|-------|--|--|--|--|--|--|
| WIDTH | DEPTH | | | | | | |
| 445 | 305 | | | | | | |
| 545 | 365 | | | | | | |
| 890 | 450 | | | | | | |

CLEAR SKIES, CLEAR CONSCIENCE

When you purchase a Scandia wood fire, you can be confident in the knowledge that you are purchasing the only sustainable and most affordable renewable source of home heating available.

As a supporter and sponsor of Landcare Australia, Scandia is mindful of any impact on the environment. Therefore, it's reassuring to us to know that 98 per cent of hardwood burnt in Australia is sustainably sourced, and by choosing to burn this firewood in a Scandia wood fire, you will generate no additional CO2 emissions than if that same wood were left to decompose naturally in the bush. (*Kerryn Paul*, 2003)

To control the amount of emissions released into the environment, Scandia designs all combustion wood fires with a two stage, primary and secondary air system. While the primary air controls the rate of burn, the secondary air system hyper-heats any excess carbon, converting the majority of residual emissions into energy which is then stored in the firebricks and firebox, improving overall efficiency of the heater and minimising any impact on the environment.

As an organisation, Scandia is committed to helping the environment through the promotion of renewable energy, sustainable harvesting practices and a commitment to programs that focus on reducing carbon emissions.

DISCLAIMER

Due to our policy of continuous improvement of our products and services, technical specifications and claims, correct at the time of going to print, may be subject to variation without prior notice. Scandia Heating (Aust) Pty Ltd has endeavoured to ensure that the information in this document is correct and fairly stated, but does not accept liability for any error or omission.

Scandia Heating (Aust) Pty Ltd accepts no liability whatsoever for their interpretation of AS/NZS 2918-2001, AS/NZS 4012-4013. All heating capacities quoted are based on units tested with quality hardwood. Minimal performance reduction may result due to large glassed areas, vaulted ceilings, draughts or insufficient insulation. We reserve the right to alter specifications without notice.













